

SAFETY DATA SHEET

Creation Date 24-Jul-2007 Revision Date 02-Jul-2014 **Revision Number 1**

1. Identification

Product Name n-Butyric acid

AC108110000; AC108110010; AC108110025; AC108110050; Cat No.:

AC108111000

Synonyms Butyric Acid.; n-Butanoic Acid, Ethylacetic Acid

Recommended Use Laboratory chemicals.

Uses advised against No Information available

Details of the supplier of the safety data sheet

Entity / Business Name Emergency Telephone Number Company

Acros Organics One Reagent Lane

Fair Lawn, NJ 07410 Fair Lawn, NJ 07410 Tel: (201) 796-7100

Emergency Number **US:**001-201-796-7100 / Europe: +32 14 57 52 99

/ Europe call: +32 14 57 52 11

CHEMTREC Tel. No.US:001-800-424-9300 /

For information US call: 001-800-ACROS-01

Europe:001-703-527-3887

2. Hazard(s) identification

Classification

Fisher Scientific

One Reagent Lane

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids Category 4 Acute oral toxicity Category 4 Skin Corrosion/irritation Category 1 B Serious Eye Damage/Eye Irritation Category 1

Label Elements

Signal Word

Danger

Hazard Statements

Combustible liquid Harmful if swallowed

Causes severe skin burns and eye damage



Precautionary Statements

Prevention

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Do not breathe dust/fume/gas/mist/vapors/spray

Wear protective gloves/protective clothing/eye protection/face protection

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Response

Immediately call a POISON CENTER or doctor/physician

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Ingestion

Rinse mouth

Do NOT induce vomiting

Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

Storage

Store locked up

Store in a well-ventilated place. Keep cool

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

None identified

3. Composition / information on ingredients

Component	CAS-No	Weight %		
Butyric acid	107-92-6	99		

4. First-aid measures

General Advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

Eye Contact Immediate medical attention is required. Rinse immediately with plenty of water, also under

the eyelids, for at least 15 minutes. Keep eye wide open while rinsing.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Immediate medical

attention is required.

Inhalation Move to fresh air. If breathing is difficult, give oxygen. Do not use mouth-to-mouth

resuscitation if victim ingested or inhaled the substance; induce artificial respiration with a

respiratory medical device. Immediate medical attention is required.

Ingestion Do not induce vomiting. Clean mouth with water. Never give anything by mouth to an

unconscious person. Call a physician immediately.

Most important symptoms/effects . Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting:

Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes

severe swelling, severe damage to the delicate tissue and danger of perforation

Notes to Physician Treat symptomatically

Revision Date 02-Jul-2014 n-Butyric acid

5. Fire-fighting measures

CO₂, dry chemical, dry sand, alcohol-resistant foam. Cool closed containers exposed to fire **Suitable Extinguishing Media**

with water spray.

Unsuitable Extinguishing Media No information available

69 °C / 156.2 °F **Flash Point**

Method -No information available

Autoignition Temperature 425 °C / 797 °F

Explosion Limits

10.00% Upper 2.00% Lower **Oxidizing Properties** Not applicable

Sensitivity to Mechanical Impact No information available No information available Sensitivity to Static Discharge

Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes. Combustible material. Containers may explode when heated.

Hazardous Combustion Products

Carbon monoxide (CO) Carbon dioxide (CO2) Thermal decomposition can lead to release of irritating gases and vapors **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

NFPA

Health	Flammability	Instability	Physical hazards
2	2	0	N/A

Accidental release measures

Personal Precautions Use personal protective equipment. Ensure adequate ventilation. Evacuate personnel to

safe areas. Keep people away from and upwind of spill/leak. Remove all sources of ignition.

Take precautionary measures against static discharges.

Should not be released into the environment. Do not flush into surface water or sanitary **Environmental Precautions**

sewer system. See Section 12 for additional ecological information.

Methods for Containment and Clean Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Up

Remove all sources of ignition.

	7. Handling and storage
Handling	Wear personal protective equipment. Use only under a chemical fume hood. Do not breathe vapors or spray mist. Do not get in eyes, on skin, or on clothing. Do not ingest. Keep away from open flames, hot surfaces and sources of ignition.

Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area. Storage Keep away from heat and sources of ignition.

This product does not contain any hazardous materials with occupational exposure limits **Exposure Guidelines**

established by the region specific regulatory bodies.

8. Exposure controls / personal protection

Revision Date 02-Jul-2014 n-Butyric acid

Engineering Measures Ensure adequate ventilation, especially in confined areas. Ensure that evewash stations

and safety showers are close to the workstation location.

Personal Protective Equipment

Eye/face Protection Tightly fitting safety goggles. Face-shield.

Long sleeved clothing. Skin and body protection

Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard **Respiratory Protection**

EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Handle in accordance with good industrial hygiene and safety practice. **Hygiene Measures**

9. Physical and chemical properties

Physical State Liauid **Appearance** Colorless Odor Stench

Odor Threshold No information available 2 @ 25°C 50% in water Hq

-7 - -5 °C / 19.4 - 23 °F **Melting Point/Range**

Boiling Point/Range 162 - 165 °C / 323.6 - 329 °F @ 760 mmHg

69 °C / 156.2 °F **Flash Point Evaporation Rate** No information available

Flammability (solid,gas) Not applicable

Flammability or explosive limits

10.00% Upper Lower 2.00%

Vapor Pressure 1 hPa @ 20 °C **Vapor Density** No information available

Relative Density 0.960 Solubility miscible

Partition coefficient; n-octanol/water No data available **Autoignition Temperature** 425 °C / 797 °F **Decomposition Temperature** No information available 1.6 mPas @ 20 °C

Viscosity

Molecular Formula C4 H8 O2 **Molecular Weight** 88.11

10. Stability and reactivity

Reactive Hazard None known, based on information available

Stability Stable under normal conditions.

Conditions to Avoid Incompatible products. Excess heat. Keep away from open flames, hot surfaces and

sources of ignition.

Incompatible Materials Strong oxidizing agents, Bases, Amines

Hazardous Decomposition Products Carbon monoxide (CO₂), Carbon dioxide (CO₂), Thermal decomposition can lead to release

of irritating gases and vapors

Hazardous Polymerization Hazardous polymerization does not occur.

None under normal processing. **Hazardous Reactions**

11. Toxicological information

Acute Toxicity

Product Information Component Information

Revision Date 02-Jul-2014 n-Butyric acid

Component LD50 Oral		LD50 Dermal	LC50 Inhalation	
Butyric acid	1632	530 μL/kg (Rabbit)	Not listed	

Toxicologically Synergistic

No information available

Products

Delayed and immediate effects as well as chronic effects from short and long-term exposure

No information available Irritation

Sensitization No information available

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
Butyric acid	107-92-6	Not listed				

No information available **Mutagenic Effects**

Reproductive Effects No information available.

Developmental Effects No information available.

Teratogenicity No information available.

STOT - single exposure None known STOT - repeated exposure None known

No information available **Aspiration hazard**

delayed

Symptoms / effects,both acute and Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation

Endocrine Disruptor Information No information available

Other Adverse Effects See actual entry in RTECS for complete information.

12. Ecological information

Do not empty into drains. Contains a substance which is:. Harmful to aquatic organisms. The product contains following substances which are hazardous for the environment.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Butyric acid	46.7 mg/L EC50 = 72 h	200 mg/L LC50 24 h	= 10.1 mg/L EC50	61.7 mg/L EC50 = 24 h
		_	Photobacterium	_
			phosphoreum 15 min	
			= 16.9 mg/L EC50	
			Photobacterium	
			phosphoreum 15 min	
			= 16.9 mg/L EC50	
			Photobacterium	
			phosphoreum 5 min	
			= 17.2 mg/L EC50	
			Photobacterium	
			phosphoreum 25 min	

Miscible with water Persistence is unlikely based on information available. **Persistence and Degradability**

Bioaccumulation/ Accumulation No information available.

. Will likely be mobile in the environment due to its water solubility. Mobility

Component	log Pow
Butyric acid	1.1

13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. Transport information

DOT

UN-No UN2820

Proper Shipping Name BUTYRIC ACID

Hazard Class 8
Packing Group III

TDG

UN-No UN2820

Proper Shipping Name BUTYRIC ACID

Hazard Class 8
Packing Group |||

IATA

UN-No UN2820

Proper Shipping Name BUTYRIC ACID

Hazard Class 8
Packing Group III

IMDG/IMO

UN-No UN2820

Proper Shipping Name BUTYRIC ACID

Hazard Class 8
Packing Group III

15. Regulatory information

All of the components in the product are on the following Inventory lists: X = listed

International Inventories

Component	TSCA	DSL	NDSL	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	IECSC	KECL
Butyric acid	Х	Χ	-	203-532-3	-		Х	Χ	Χ	Χ	Х

Legend:

- X Listed
- E Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.
- F Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.
- N Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.
- P Indicates a commenced PMN substance
- R Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.
- S Indicates a substance that is identified in a proposed or final Significant New Use Rule
- T Indicates a substance that is the subject of a Section 4 test rule under TSCA.
- XU Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B).
- Y1 Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.
- Y2 Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

U.S. Federal Regulations

TSCA 12(b) Not applicable

SARA 313 Not applicable

SARA 311/312 Hazardous Categorization

Acute Health Hazard Yes Chronic Health Hazard Yes

Fire Hazard Yes
Sudden Release of Pressure Hazard No
Reactive Hazard No

Clean Water Act

Component	CWA - Hazardous Substances	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants
Butyric acid	X	5000 lb	-	-

Clean Air Act Not applicable

OSHA Occupational Safety and Health Administration Not applicable

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Component	Hazardous Substances RQs	CERCLA EHS RQs	
Butyric acid	5000 lb	-	

California Proposition 65

This product does not contain any Proposition 65 chemicals

State Right-to-Know

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Butyric acid	X	X	X	-	X

U.S. Department of Transportation

Reportable Quantity (RQ): Y
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

U.S. Department of Homeland Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade Moderate risk, Grade 2

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR

WHMIS Hazard Class

B3 Combustible liquid
D1B Toxic materials

E Corrosive material



16. Other information

Prepared By Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

 Creation Date
 24-Jul-2007

 Revision Date
 02-Jul-2014

 Print Date
 02-Jul-2014

Revision Summary This document has been updated to comply with the US OSHA HazCom 2012 Standard

replacing the current legislation under 29 CFR 1910.1200 to align with the Globally

Harmonized System of Classification and Labeling of Chemicals (GHS)

Disclaimer

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of SDS